

Work Order ID 158308***158308***

Page 1

Monday, March 20, 2017 8:04:03 AM

Item ID: D3215-041

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Harness Assembly

Start Date: 3/21/2017 Start Qty: 18.00

18

Cust Item ID:

Required Date: 4/12/2017 Req'd Qty: 18.00

18

Customer:

Reference: SCHEDULED

Approvals: Process Plan:

DAS
21
9-89

Date: MAR 20 2017 Tooling:

Date:

Run Start ***NR1***

QC:

Date: SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3215

Rev D

100

0.00

100

Purchasing

Purchasing

PURCHASING

Memo

3,240.00

Issue P/O: 35940 to Tulmar Safety Systems
D3215-041 as per Dwg D3215
Ship to Tulmar
Certificate of Conformity is required

18

APR 12 2017

DAS
13
9-89

110

0.00

110

Packaging

Packaging

Receive & Inspect for Damage & Mat'l Certs

Memo

0.18

Ensure certificate of conformity is attached

18x SP17-4-28

120

0.00

120

QC

Quality Control

QC6- Inspect dimensions to drawing

Memo

0.00

18

DAS
38
9-89
MAY 03 2017

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
										QC / QA Coordinator Approval															
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐																			

Work Order ID 158308

158308

Page 2

Monday, March 20, 2017 8:04:03 AM

Item ID: D3215-041

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Harness Assembly

Start Date: 3/21/2017 Start Qty: 18.00

18

Cust Item ID:

Required Date: 4/12/2017 Req'd Qty: 18.00

18

Customer:

Reference: SCHEDULED

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <u>ST46Y</u>	0.00							
130									
Packaging	Memo	0.18				18	DAS 8 3-20		
Packaging									
									MAY 03 2017
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	1.80							
Quality Control									

17/5/4

DAS
21
3-20
MAY 04 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By 		
							Lead hand / Supervisor Approval Verification 		
							QC / QA Coordinator Approval 		

Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : 						
Misidentified	☐	Past Due	☐							

Monday, March 20, 2017 8:04:14 AM

Page 1

158308

D3215-041

Required Date: 4/12/2017

Required Qty: 18.00

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	Pressure/Forced ☐		Temperature/Cure ☐		Power Loss/Surge ☐	
Design ☐	☐ Operator	Bending ☐		Set-up ☐		Folio/Program ☐	
Doc/Data ☐	☐ Offset/Setup	Centre Not Concentric ☐		BOM/Route ☐		Grain ☐	
Equip/Tooling ☐	☐ Supplier	Cracks ☐		Broken/Damage/Defect ☐		Weld ☐	
Handling/Pre ☐	☐ Training	Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐		Wrong Stock Pulled ☐	
Material ☐	☐ Use for Testing	Cuffs ☐		Contamination ☐		Out of Sequence ☐	
Internal Transport ☐	☐ Poor Information	Crushing ☐		Countersink ☐		Off-set ☐	
Tribal Knowledge ☐	☐ Rushing	Heat Treat ☐		Cut Too Short ☐		Mislabeled ☐	
LOA ☐	☐ Product Improvement	Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐		Fit/Function ☐	
Substation ☐	☐ Process Improvement	Marks/Chatter ☐		Drill Holes ☐		Misaligned/off center ☐	
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						




DESIGN <i>qp</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 1 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS
A	03.09.19	NEW ISSUE	
B	04.01.12	AS MANUFACTURED; ADD TOLERANCE	
C	04.03.05	REDUCE LENGTH; CLARIFY STITCHING	
D	07.03.27	ADD WEBBING SUPPLIER; ADD LABEL THREAD AND MATERIAL; IN VIEW A-A, 1.4 WAS 1.8; ADD -3A AND -3B; UPDATE TOLERANCES	



PARTS LIST:

QTY	P/N	DESCRIPTION
X	D3215-041	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
1	D3215-3	WEBBING TIDY
1	D3216-1	WEBBING ADJUSTER



D3215-041 BELT ASSEMBLY:

- 1) MATERIAL: WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 5700 lb MIN
OR BELT TECH CANADA INC. 27039, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 6000 lb MIN

WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3, BLACK NYLON THREAD
LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F, BLACK NYLON THREAD

- 2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
4) SEE SHEET 3 FOR VIEW A-A



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 158308 M5
17-03-20

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>H</i>	DRAWING NO. D3215	REV. D SHEET 2 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS

D3215-043 BELT ASSEMBLY:

1) MATERIAL:

WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE
x 0.05 THICK BLACK POLYESTER WEBBING,
CERTIFIED TO FAR 29.853A3, TENSILE
STRENGTH 5700 lb MIN

OR

BELT TECH CANADA INC. 27039, 1.8 WIDE
x 0.05 THICK BLACK POLYESTER WEBBING,
CERTIFIED TO FAR 29.853A3, TENSILE
STRENGTH 6000 lb MIN


WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3,
BLACK NYLON THREAD

LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F,
BLACK NYLON THREAD

2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE
NOTED.


3) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED.

4) SEE SHEET 3 FOR VIEW A-A



RELEASED

07.06.07



ASSEMBLY DETAIL
NOT TO SCALE

PARTS LIST:



QTY	P/N	DESCRIPTION
X	D3215-043	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
2	D3215-3	WEBBING TIDY
2	D3216-1	WEBBING ADJUSTER

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 3 OF 3
DATE 07.03.27		TITLE HARNESS ASSEMBLY	SCALE 3:2

**VIEW A-A****D3215-3A/-3B NOTES:**


- 1) MATERIAL: 5052-H32 ALUMINUM SHEET, 0.040 THICK PER QQ-A-250/8 OR AMS 4016 (REF DART SPEC. M5052H32S.040)
- 2) BEND D3215-3A PER D3215-3

D3215-1 LABEL:

- 1) MATERIAL: WHITE TYVEK OR WHITE POLYESTER WHICH MEETS FMVSS 302
- 2) USE 1/8 BLACK LETTERING
- 3) CENTER ON BELT WIDTH

RELEASED07.06 07-*[Signature]***GENERAL NOTES:**

- 1) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

**D3215-3 WEBBING TIDY****D3215-3 NOTES:**

- 1) WELD PER DART QSI 004
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO35940**

Purchase Order Date 4/12/2017

PO Print Date 4/26/2017

Page Number 1 of 2

Order From :

VC-TUL001

TULMAR SAFETY SYSTEMS
1123 CAMERON ST
HAWKESBURY, ON K6A 2B8
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

REVISED

Contact Name

Vendor Phone 613 632 1282

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D3215-041P AS PER DWG D3215 REV. D B158308	Harness Assembly DAS 38 9-89	4/27/2017 Yes 4/27/2017		18.00 Each	\$20.44	\$367.92
Line Total:							\$367.92
2	D3215-043P AS PER DWG D3215 REV. D B158627	Harness Assembly	4/27/2017 Yes 4/27/2017		5.00 Each	\$37.14	\$185.70
Line Total:							\$185.70

Note:

4/26/2017

PACKING SLIP

TULMAR

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, ON K6A 2B8
Tel: 613-632-1282
Fax: 613-632-2030
GST R132478223
MID : XOTULSAF1123HAW
email: info@tulmar.com

Packing Slip No Page
60000 1

Ship Date
4/25/2017

Bill To:

Dart Aerospace
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Canada

Ship To:

Dart Aerospace
1270 Aberdeen Street
Tel: 613-632-9577
Hawkesbury, ON K6A 1K7
Canada

Order number	Sales order date	Account number	Loc	Account manager	Ship via	Shipping Terms
34747	4/13/2017	CDART100	H	Francine Bigras	Pick-Up	FOB HAWKESBURY
Item No. Description	Quantity ordered	UOM	Qty Shipped/Returned	Quantity on back order		
Line 4 - Procurement Clauses A004 A005 A016 A026 A040 A041 A043 (TSS 5yrs only)						
8937 Belt Ass'y, / 2" wide, Black Webbing Drawing No: D3215 (P/N D3215-041) DWG Rev: D Line 1 SF 41807	18.00	EA	18.00			
Lot no.: BATCH0000000041	18.00					
8972-002 Strap, Colour Red, 30" L x 2" W / Remove Gross WT Towing Drawing No: D3949 (p/n D3949-043 Rev B)+MU DWG Rev: B+1 Line 3 SF 41797	10.00	EA	10.00			
Lot no.: BATCH0000000010	10.00					
8938 Belt Ass'y, / 2" wide, black Webbing Drawing No: D3215 (P/N D3215-043) DWG Rev: D Line 2 SF 41808	5.00	EA	5.00			
Lot no.: BATCH0000000032	5.00					

DAS
38
9-89

SP17-4-27

Certificate of Conformance

☒ See Certification Enclosed

I hereby certify that the items listed hereon have been inspected, and / or tested (as applicable), conform to all specifications and requirements detailed in the contract or purchase order. Objective evidence to support this statement is on file, and can be made available upon request.
If any questions or concerns, please contact QA Manager @ 613-632-1282 ext. 245.

Authorized Inspector

Serraine LaLiberté

Date:

APR 25 2017

June 7, 2016

TULMAR SAFETY SYSTEMS

 1123 CAMERON STREET
 HAWKSBURY, ONTARIO
 K6A 2B8

CERTIFICATE OF COMPLIANCE

This is to certify that the item mentioned below, shipped to Tulmar Safety Systems by Cansew Inc. on June 7, 2016, has been produced in accordance with the requirements of Purchase Order no. 30203-00 of the same date:


- **NB CBB92 LB;** Cansew Nylon – Qty 44.26-lbs, Colour: Black
 LOT #: F78826

Description

Thread, Nylon, Twisted, Black, A-A-59826, TY2, CLA, Size F, CBB92, (Supercedes V-T-295)

Hazardous Materials Acknowledgement	The items described below may contain, and their processing may have include, the following substances:	Hexavalent Chromium: Cadmium: Beryllium; Nickel; Mercury; Lead; Asbesotos; Radioactive elements YES NO ●
Country of Origin of Goods: USA		
Limited Shelf-Life	<u>Definition:</u> If material is consumed or transformed into final product before end of shlf-life there is no effect on final product.	These items have limited Shelf-Life YES NO ●
Expiry date	<u>Definition:</u> Date after which performance will no longer be as intended – expiration is transferred to the final product.	These items have expiry date YES NO ●

Yours truly,


Richard Doré
 Sales Manager


JUN 08 2016

2530 B#56

MONTREAL
 111 Chabanel W. H2N 1C9
 Tel. (514) 382-2801
 1-800-361-7722
 Fax: (514) 385-5530
 E-mail: info@cansew.ca
www.cansew.ca
TORONTO
 28 Apex Rd. M6A 2V2
 (416)782-1122
 1-800-387-8584
 (416)782-8358
info@cansew.ca
WINNIPEG
 1674 Church Ave. R2X 2W9
 (204)942-4264
 1-800-665-0701
 (204)947-9280
info@cansew.ca
CALGARY
 3932-29th St. N.E. T1Y 6B6
 (403)291-4494
 1-800-667-4197
 (403)291-5139
info@cansew.ca
VANCOUVER
 1217 East Georgia St. V6A 2A9
 (604)682-4341
 1-800-580-0737
 (604)682-4196
info@cansew.ca

 C/C's used 40 m/bg. D3215-041 - Rev. D
 D3215-043 - Rev. D.

Perrine Laliberté (QC) April 24/17



cansew inc.

formerly / anciennement
Canadian Sewing Supply Ltd. / Ltée – established / établie 1924

Manufacturers of sewing threads. / Wholesalers of elastics, Velcro, tapes, trimmings.
Fabricants de fils à coudre. / Grossistes d'élastiques, Velcro, galons, garnitures.

16 September 2008

Tulmar Safety Systems
1123 Cameron Street
Hawksbury, Ontario
K6A 2B8


Att. Sandra Nadeau

CERTIFICATE OF COMPLIANCE

This is to certify that the items mentioned below, shipped to Tulmar Safety Systems by CANSEW INC. on 16 September 2008, have been produced in accordance with the requirements of Purchase Order no. 14743-00 of the same date:

- * -Bonded Nylon CB207 – 20.05 lb. colour black. lot # 710805, meeting the requirements of specification V-T-295, Type 2, Class A, Size 3, 3 ply
- Bonded Nylon CBB92 – 64.30 lb, colour GG-107, lot # 667896 and 587426, meeting the requirements of specification V-T-295, Type 2, Class A, Size F

Yours truly,


Helene Schachter
CANSEW INC.

MONTRÉAL - Head Office/Siège social
111 Chabanel W / O H2N.1C9
Administration (514) 382-2807
Commandes/Orders (514) 382-2801
1-800-361-7722
FAX: (514) 385-5530

TORONTO
28 Apex Rd. M6A 2V2
(416) 782-1122
1-800-387-8584
FAX: (416) 782-8358

WINNIPEG
1674 Church Ave R2X 2W9
(204) 942-4264
1-800-665-0701
FAX: (204) 947-9280

CALGARY
3932 - 29th St. N.E. T1Y 6B6
(403) 291-4494
1-800-667-4197
FAX: (403) 291-5139

VANCOUVER
1615 Venables St. V5L 2H1
(604) 682-4341
1-800-580-0737
FAX: (604) 682-4196

info@cansew.ca

www.cansew.ca

TSS# 2524/54

TSS# 2525/41 (S)

Belt-Tech Products Inc.

Certificate of Compliance No : 56 412

Page : 1 de 1
Date : 2010-10-22
Time : 13:31:04

Pattern : 27039

Width : 47.000

Dye lot No : 432674

Color : CG008 BLACK

Meters : 6 728.00

Warp Order :

Customer : TULMAR SAFETY SYSTEMS
Nissan

Test Date : 2010/10/22

Legend : Y = Good - Pass
N = Fail

Customer Part Number 18440-00

Test Method	Date	Type of Test	Min. Spec.	Max. Spec.	Median	Test 1	Test 2	Test 3
FMVSS 209	2009/10/01	Width - no load (mm)	46.000	48.000	47.930	47.840	47.970	47.930 Y
SAE J 882	2007/09/01	Thickness - original (mm)	1.140	1.400	1.175	1.185	1.175	1.175 Y
ASTM D-3775	2008/07/01	Picks per cm	7.000		7.200	7.200	7.200	7.200 Y
FMVSS 209	2009/10/01	Elongation - @ 11.1 kn load (%)		20.000	6.310	6.310	6.120	6.640 Y
FMVSS 209	2009/10/01	Tensile - original (lbs)	6,700.000		7,167.000	7,167.000	7,086.000	7,182.000 Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	75.000		91.700	91.500	91.900	91.700 Y
AATCC TM 8	2007/01/01	Crocking "wet"	3.000		4.000	4.000	4.000	4.000 Y
AATCC TM 8	2007/01/01	Crocking "dry"	3.000		4.500	4.500	4.500	4.500 Y
AATCC TM 107	2009/01/01	Dye stability (staining)	3.000		4.500	4.500	4.500	4.500 Y

Specification(s) : FMVSS 209 revised on 2008-10-01

FMVSS 302 revised on 2008-10-01

Comment(s)

This is to certify that this product conforms to the specification(s) mentioned above and the requirement(s) outlined in the Purchase Order # and was tested at $22 \pm 3^{\circ}\text{C}$ temperature and 45-55 % relative humidity.

Not applicable for downgraded (second) material

If this document is not signed, it is to be regarded as a non-controlled version

Tested by :

Approved by :

4.10-1403E (2010-03-31)

BS 2281/12 (S)

TULMAR

Certificate of Conformance

Tulmar P/N 32019-001	Description Kit white 1 B7000 Black Threaded Link, metal Pinus 302, 230000T & H3000	Dwg #	Revision /	Qty 1/1
Tulmar PO # 26439	Line Item # 15173	Supplier Name / Address Husky International 15173 Collections Center Drive Chicago, IL 60695	Supplier Packing Slip # 114/8636435	

Supplier Declarations:

Hazardous Materials Acknowledgement	The items described below may contain, and their processing may have included, the following substances:	Hexavalent Chromium; Cadmium; Beryllium; Nickel; Mercury; Lead; Asbestos; Radioactive elements YES ☐ NO ☒
Country of Origin of Goods	Japan	If YES, please complete the HazMat Acknowledgement form @ www.tulmar.com
Limited Shelf-Life	Definition: If material is consumed or transformed into final product before end of shelf-life there is no effect on final product.	These items have a limited Shelf-Life YES ☒ NO ☐ If YES, please complete the Time Expired - Shelf-Life questionnaire @ www.tulmar.com
Expiry date	Definition: Date after which performance will no longer be as intended - expiration is transferred to the final product.	These items have an expiry date YES ☐ NO ☒ If YES, please complete the Time Expired - Shelf-Life questionnaire @ www.tulmar.com

Additional Information (MRS#, MRA#, limitations, etc...):

Shelf life is two years from date of manufacture.

I hereby certify that the goods listed hereon have been inspected and/or tested, as applicable, and conform to all specifications and requirements detailed in the contract or purchase order and relevant quality clauses. Objective evidence to support this statement is on file and can be made available upon request. Should further information be required, please contact:

Signature 	Name Bethany Cuddy	Date (DD-MM-YYYY) 22-Nov-2008
Title QC Manager	Email bethany.cuddy@tulmar.com	Phone # 628-758-2338 x436

Form Revision 13 Aug 2012

22019-001/08